# Appendix E

Greenhouse Gas Emissions Modeling Results

# Piedmont Housing Element Implementation Detailed Report

#### Table of Contents

- 1. Basic Project Information
  - 1.1. Basic Project Information
  - 1.2. Land Use Types
  - 1.3. User-Selected Emission Reduction Measures by Emissions Sector
- 2. Emissions Summary
  - 2.4. Operations Emissions Compared Against Thresholds
  - 2.5. Operations Emissions by Sector, Unmitigated
- 4. Operations Emissions Details
  - 4.1. Mobile Emissions by Land Use
    - 4.1.1. Unmitigated
  - 4.2. Energy
    - 4.2.1. Electricity Emissions By Land Use Unmitigated
    - 4.2.3. Natural Gas Emissions By Land Use Unmitigated
  - 4.3. Area Emissions by Source

- 4.3.2. Unmitigated
- 4.4. Water Emissions by Land Use
  - 4.4.2. Unmitigated
- 4.5. Waste Emissions by Land Use
  - 4.5.2. Unmitigated
- 4.6. Refrigerant Emissions by Land Use
  - 4.6.1. Unmitigated
- 4.7. Offroad Emissions By Equipment Type
  - 4.7.1. Unmitigated
- 4.8. Stationary Emissions By Equipment Type
  - 4.8.1. Unmitigated
- 4.9. User Defined Emissions By Equipment Type
  - 4.9.1. Unmitigated
- 4.10. Soil Carbon Accumulation By Vegetation Type
  - 4.10.1. Soil Carbon Accumulation By Vegetation Type Unmitigated
  - 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type Unmitigated
  - 4.10.3. Avoided and Sequestered Emissions by Species Unmitigated

- 5. Activity Data
  - 5.9. Operational Mobile Sources
    - 5.9.1. Unmitigated
  - 5.10. Operational Area Sources
    - 5.10.1. Hearths
      - 5.10.1.1. Unmitigated
    - 5.10.2. Architectural Coatings
    - 5.10.3. Landscape Equipment
  - 5.11. Operational Energy Consumption
    - 5.11.1. Unmitigated
  - 5.12. Operational Water and Wastewater Consumption
    - 5.12.1. Unmitigated
  - 5.13. Operational Waste Generation
    - 5.13.1. Unmitigated
  - 5.14. Operational Refrigeration and Air Conditioning Equipment
    - 5.14.1. Unmitigated
  - 5.15. Operational Off-Road Equipment

- 5.15.1. Unmitigated
- 5.16. Stationary Sources
  - 5.16.1. Emergency Generators and Fire Pumps
  - 5.16.2. Process Boilers
- 5.17. User Defined
- 5.18. Vegetation
  - 5.18.1. Land Use Change
    - 5.18.1.1. Unmitigated
  - 5.18.1. Biomass Cover Type
    - 5.18.1.1. Unmitigated
  - 5.18.2. Sequestration
    - 5.18.2.1. Unmitigated
- 6. Climate Risk Detailed Report
  - 6.1. Climate Risk Summary
  - 6.2. Initial Climate Risk Scores
  - 6.3. Adjusted Climate Risk Scores
  - 6.4. Climate Risk Reduction Measures

- 7. Health and Equity Details
  - 7.1. CalEnviroScreen 4.0 Scores
  - 7.2. Healthy Places Index Scores
  - 7.3. Overall Health & Equity Scores
  - 7.4. Health & Equity Measures
  - 7.5. Evaluation Scorecard
  - 7.6. Health & Equity Custom Measures
- 8. User Changes to Default Data

# 1. Basic Project Information

# 1.1. Basic Project Information

Data Field	Value
Project Name	Piedmont Housing Element Implementation
Operational Year	2031
Lead Agency	_
Land Use Scale	Plan/community
Analysis Level for Defaults	County
Windspeed (m/s)	3.90
Precipitation (days)	41.0
Location	Piedmont, CA, USA
County	Alameda
City	Piedmont
Air District	Bay Area AQMD
Air Basin	San Francisco Bay Area
TAZ	1504
EDFZ	1
Electric Utility	Pacific Gas & Electric Company
Gas Utility	Pacific Gas & Electric
App Version	2022.1.1.14

# 1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Apartments Mid Rise	1,048	Dwelling Unit	27.6	1,006,080	0.00	0.00	2,934	_

### 1.3. User-Selected Emission Reduction Measures by Emissions Sector

No measures selected

# 2. Emissions Summary

# 2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	всо2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	11.1	34.1	21.6	172	0.45	1.23	37.0	38.2	1.23	9.38	10.6	575	55,634	56,209	43.6	1.65	84.7	57,876
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	5.65	28.9	22.4	91.8	0.42	1.21	37.0	38.2	1.20	9.38	10.6	575	53,305	53,880	43.6	1.74	9.22	55,496
Average Daily (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	7.16	30.8	12.1	118	0.36	0.41	37.0	37.4	0.40	9.38	9.77	575	40,774	41,348	43.3	1.68	40.7	42,974
Annual (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Unmit.	1.31	5.63	2.20	21.5	0.07	0.07	6.75	6.82	0.07	1.71	1.78	95.2	6,751	6,846	7.18	0.28	6.73	7,115

### 2.5. Operations Emissions by Sector, Unmitigated

	1																1	1
Sector	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily,	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Summer																		
(Max)																		

Mobile	4.23	3.21	8.34	106	0.36	0.19	37.0	37.2	0.18	9.38	9.55	_	37,119	37,119	0.73	1.23	77.5	37,580
Area	6.64	30.7	10.9	64.1	0.07	0.86	_	0.86	0.86	_	0.86	0.00	13,289	13,289	0.25	0.03	_	13,303
Energy	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	4,955	4,955	0.58	0.04	_	4,983
Water	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Waste	_	_	_	_	_	_	_	_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	7.21	7.21
Total	11.1	34.1	21.6	172	0.45	1.23	37.0	38.2	1.23	9.38	10.6	575	55,634	56,209	43.6	1.65	84.7	57,876
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	4.17	3.18	9.71	86.4	0.34	0.19	37.0	37.2	0.18	9.38	9.55	_	34,949	34,949	0.71	1.31	2.01	35,360
Area	1.21	25.6	10.3	4.40	0.07	0.84	_	0.84	0.84	_	0.84	0.00	13,130	13,130	0.25	0.02	_	13,143
Energy	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	4,955	4,955	0.58	0.04	_	4,983
Water	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Waste	_	_	_	_	_	_	_	_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	7.21	7.21
Total	5.65	28.9	22.4	91.8	0.42	1.21	37.0	38.2	1.20	9.38	10.6	575	53,305	53,880	43.6	1.74	9.22	55,496
Average Daily	_	_	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_
Mobile	4.18	3.18	9.20	87.5	0.34	0.19	37.0	37.2	0.18	9.38	9.55	_	35,145	35,145	0.72	1.28	33.5	35,578
Area	2.71	27.5	0.53	29.5	< 0.005	0.03	_	0.03	0.03	_	0.03	0.00	402	402	0.01	< 0.005	_	403
Energy	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	4,955	4,955	0.58	0.04	_	4,983
Water	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Waste	_	_	_	_	_	_		_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	7.21	7.21
Total	7.16	30.8	12.1	118	0.36	0.41	37.0	37.4	0.40	9.38	9.77	575	40,774	41,348	43.3	1.68	40.7	42,974
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Mobile	0.76	0.58	1.68	16.0	0.06	0.03	6.75	6.78	0.03	1.71	1.74	_	5,819	5,819	0.12	0.21	5.54	5,890
Area	0.49	5.02	0.10	5.39	< 0.005	0.01	_	0.01	0.01	_	0.01	0.00	66.6	66.6	< 0.005	< 0.005	_	66.7

Energy	0.05	0.02	0.43	0.18	< 0.005	0.03	_	0.03	0.03	_	0.03	_	820	820	0.10	0.01	_	825
Water	_	_	_	_	_	_	_	_	_	_	_	26.5	44.9	71.4	0.10	0.06	<u> </u>	91.4
Waste	_	_	_	_	_	_	_	_	_	_	_	68.6	0.00	68.6	6.86	0.00	_	240
Refrig.	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1.19	1.19
Total	1.31	5.63	2.20	21.5	0.07	0.07	6.75	6.82	0.07	1.71	1.78	95.2	6,751	6,846	7.18	0.28	6.73	7,115

# 4. Operations Emissions Details

# 4.1. Mobile Emissions by Land Use

#### 4.1.1. Unmitigated

Mobile source emissions results are presented in Sections 2.6. No further detailed breakdown of emissions is available.

# 4.2. Energy

#### 4.2.1. Electricity Emissions By Land Use - Unmitigated

Land Use	TOG	ROG	NOx	СО	SO2	PM10E			PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	_	1,998	1,998	0.32	0.04	_	2,018
Total		_	_	_	_	_	_	_	_	_	_	_	1,998	1,998	0.32	0.04	_	2,018
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	_	1,998	1,998	0.32	0.04	_	2,018

Total	_	_	_	_	_	_	_	_	_	_	-	_	1,998	1,998	0.32	0.04	_	2,018
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	_	331	331	0.05	0.01	_	334
Total	_	_	_	_	_	_	_	_	_	_	_	_	331	331	0.05	0.01	_	334

### 4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		(1.07 0.01	<i>j</i>	. j, j .		, - ,	'		,	, ,	,							
Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	2,957	2,957	0.26	0.01	_	2,965
Total	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	2,957	2,957	0.26	0.01	_	2,965
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	2,957	2,957	0.26	0.01	_	2,965
Total	0.27	0.14	2.33	0.99	0.01	0.19	_	0.19	0.19	_	0.19	_	2,957	2,957	0.26	0.01	_	2,965
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	0.05	0.02	0.43	0.18	< 0.005	0.03	_	0.03	0.03	_	0.03	_	490	490	0.04	< 0.005	_	491
Total	0.05	0.02	0.43	0.18	< 0.005	0.03	_	0.03	0.03	_	0.03	_	490	490	0.04	< 0.005	_	491

# 4.3. Area Emissions by Source

### 4.3.2. Unmitigated

Source	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Hearths	1.21	0.61	10.3	4.40	0.07	0.84	_	0.84	0.84	_	0.84	0.00	13,130	13,130	0.25	0.02	_	13,143
Consum er Products	_	21.5	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coatings	_	3.45	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipme nt	5.43	5.14	0.55	59.7	< 0.005	0.02	_	0.02	0.03	_	0.03		159	159	0.01	< 0.005	_	160
Total	6.64	30.7	10.9	64.1	0.07	0.86	_	0.86	0.86	_	0.86	0.00	13,289	13,289	0.25	0.03	_	13,303
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Hearths	1.21	0.61	10.3	4.40	0.07	0.84	_	0.84	0.84	_	0.84	0.00	13,130	13,130	0.25	0.02	_	13,143
Consum er Products	_	21.5	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coatings	_	3.45	_	_	_	_	_		_	_	_	_	_	_	_	_	_	_
Total	1.21	25.6	10.3	4.40	0.07	0.84	_	0.84	0.84	_	0.84	0.00	13,130	13,130	0.25	0.02	_	13,143
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Hearths	0.01	< 0.005	0.05	0.02	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	0.00	53.6	53.6	< 0.005	< 0.005	_	53.7

Consum er Products	_	3.93	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Architect ural Coatings	_	0.63	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Landsca pe Equipme nt	0.49	0.46	0.05	5.37	< 0.005	< 0.005	_	< 0.005	< 0.005	_	< 0.005	_	13.0	13.0	< 0.005	< 0.005	_	13.0
Total	0.49	5.02	0.10	5.39	< 0.005	0.01	_	0.01	0.01	_	0.01	0.00	66.6	66.6	< 0.005	< 0.005	_	66.7

# 4.4. Water Emissions by Land Use

# 4.4.2. Unmitigated

Land Use	TOG	ROG		со		PM10E		PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Total	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Total	_	_	_	_	_	_	_	_	_	_	_	160	271	431	0.59	0.36	_	552
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Apartme Mid Rise	_	_	_	_	_	_	_	_	_	_	_	26.5	44.9	71.4	0.10	0.06	_	91.4
Total	_	_	_	_	_	_	_	_	_	_	_	26.5	44.9	71.4	0.10	0.06	_	91.4

# 4.5. Waste Emissions by Land Use

### 4.5.2. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Total	_		_	_		_	_	_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Total	_	_	_	_	_	_	_	_	_	_	_	415	0.00	415	41.4	0.00	_	1,451
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	68.6	0.00	68.6	6.86	0.00	_	240
Total	_	_	_	_	_	_	_	_	_	_	_	68.6	0.00	68.6	6.86	0.00	_	240

# 4.6. Refrigerant Emissions by Land Use

#### 4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

• • • • • • • • • • • • • • • • • • • •		(1.5) (1.5)	,	.,,, .		,			· J,	, ,								
Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	7.21	7.21
Total		_	_	_	_	_	_	_	_	_	_	_		_	_	_	7.21	7.21
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	7.21	7.21
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	7.21	7.21
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Apartme nts Mid Rise	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1.19	1.19
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	1.19	1.19

# 4.7. Offroad Emissions By Equipment Type

#### 4.7.1. Unmitigated

Equipme	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
nt																		
Туре																		

Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	<u> </u>	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

# 4.8. Stationary Emissions By Equipment Type

### 4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

				<i>J</i> ,					<u>, , , , , , , , , , , , , , , , , , , </u>									
Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

# 4.9. User Defined Emissions By Equipment Type

# 4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

		(		<i>y</i> , (0, <i>y</i> .		· · · · · · · · · · · · · · · · · · ·		.,,	<b>y</b> ,		,							
Equipme nt Type	TOG	ROG	NOx	СО	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

# 4.10. Soil Carbon Accumulation By Vegetation Type

#### 4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Vegetatio n		ROG							PM2.5E			BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_		_		_	_	_	_	_	_	_		_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

T/	otal	 	 	_	 _	 	 _	 	 	 	
- 10	lai										

#### 4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	СО2Т	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Daily, Winter (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Total	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

#### 4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Species	TOG	ROG	NOx	со	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Avoided	_		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

Paily																			
Daily, Winterwork Winterwork Windex         Remove Graph	Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Winder (Max)         Image: Control of Max (Max)         Image: Contro	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Subtotal	Winter	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered	Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
ered         Image: Company of the	Subtotal	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_
Remove d	Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
d	Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual — — — — — — — — — — — — — — — — — — —		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Annual — — — — — — — — — — — — — — — — — — —	Subtotal	_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_
Avoided — — — — — — — — — — — — — — — — — —		_	_	_	_	_	_	_	_		_	_	_	_	_	_	_	_	_
Subtotal       —<	Annual	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Sequest ered       — <t< td=""><td>Avoided</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td><td>_</td></t<>	Avoided	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
ered	Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
Remove d       —<	Sequest ered	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
d Subtotal — — — — — — — — — — — — — — — — — — —	Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
	Remove d	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
	Subtotal	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_
		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_

# 5. Activity Data

# 5.9. Operational Mobile Sources

# 5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Total all Land Uses	0.00	0.00	0.00	0.00	52,337	52,337	52,337	19,103,005

# 5.10. Operational Area Sources

#### 5.10.1. Hearths

### 5.10.1.1. Unmitigated

Hearth Type	Unmitigated (number)
Apartments Mid Rise	_
Wood Fireplaces	0
Gas Fireplaces	534
Propane Fireplaces	0
Electric Fireplaces	0
No Fireplaces	514
Conventional Wood Stoves	0
Catalytic Wood Stoves	0
Non-Catalytic Wood Stoves	0
Pellet Wood Stoves	0

### 5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
2037312	679,104	0.00	0.00	_

# 5.10.3. Landscape Equipment

Season	Unit	Value

Snow Days	day/yr	0.00
Summer Days	day/yr	180

# 5.11. Operational Energy Consumption

#### 5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Apartments Mid Rise	3,575,200	204	0.0330	0.0040	9,226,667

### 5.12. Operational Water and Wastewater Consumption

### 5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Apartments Mid Rise	74,963,700	0.00

### 5.13. Operational Waste Generation

#### 5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Apartments Mid Rise	769	_

# 5.14. Operational Refrigeration and Air Conditioning Equipment

#### 5.14.1. Unmitigated

The state of the s	le la	In the second	OMB	0 (1)		0 ' 1 1 5 '	l <del></del> -
Land Use Type	Equipment Type	Refrigerant	IGVVP	Quantity (kg)	Operations Leak Rate	I Service Leak Rate	Limes Serviced
Laria 000 Typo	TEGaipinoni Typo	rtomgorant	CVVI	Guaritity (Ng)	Operations Loak Hate	COI VICO LOUIT I TUTO	Tillioo Col vioca

Apartments Mid Rise	Average room A/C & Other residential A/C and heat pumps	R-410A	2,088	< 0.005	2.50	2.50	10.0
Apartments Mid Rise	Household refrigerators and/or freezers	R-134a	1,430	0.12	0.60	0.00	1.00

# 5.15. Operational Off-Road Equipment

### 5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

# 5.16. Stationary Sources

#### 5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Equipment 1990	1 401 1990	rtainibor por Day	riodio poi bay	Tiouro por Tour	110100001101	Load I doto!

#### 5.16.2. Process Boilers

Equipment Type Fuel Type Number Boiler Rating (MMBtu/hr) Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)
---	------------------------------

#### 5.17. User Defined

Equipment Type	Fuel Type
_	_

# 5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

 Vegetation Land Use Type
 Vegetation Soil Type
 Initial Acres
 Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type Initial Acres Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type Number Electricity Saved (kWh/year) Natural Gas Saved (btu/year)

# 6. Climate Risk Detailed Report

#### 6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	8.03	annual days of extreme heat
Extreme Precipitation	9.40	annual days with precipitation above 20 mm
Sea Level Rise	0.00	meters of inundation depth
Wildfire	15.0	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider different increments of sea level rise coupled with extreme storm events. Users may select from four model simulations to view the range in potential inundation depth for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 50 meters (m) by 50 m, or about 164 feet (ft) by 164 ft.

Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

#### 6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	N/A	N/A	N/A	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

### 6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	N/A	N/A	N/A	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	N/A	N/A	N/A	N/A
Wildfire	N/A	N/A	N/A	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A

Air Quality Degradation	N/A	N/A	N/A	N/A
-------------------------	-----	-----	-----	-----

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest

The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.

The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

#### 6.4. Climate Risk Reduction Measures

# 7. Health and Equity Details

#### 7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollu	
Indicator	Result for Project Census Tract
Exposure Indicators	
AQ-Ozone	3.12
AQ-PM	40.7
AQ-DPM	29.1
Drinking Water	4.21
Lead Risk Housing	61.2
Pesticides	0.00
Toxic Releases	52.3
Traffic	4.65
Effect Indicators	_
CleanUp Sites	11.8
Groundwater	61.5
Haz Waste Facilities/Generators	76.0
Impaired Water Bodies	12.5
Solid Waste	52.9

Sensitive Population	_
Asthma	21.5
Cardio-vascular	5.96
Low Birth Weights	0.60
Socioeconomic Factor Indicators	_
Education	0.00
Housing	4.74
Linguistic	1.81
Poverty	0.04
Unemployment	10.7

# 7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	_
Above Poverty	96.57384833
Employed	60.23354292
Median HI	99.84601566
Education	_
Bachelor's or higher	99.83318363
High school enrollment	100
Preschool enrollment	95.7141024
Transportation	
Auto Access	70.20402926
Active commuting	69.35711536
Social	_
2-parent households	97.60041062

Lu .	
Voting	93.35300911
Neighborhood	_
Alcohol availability	75.18285641
Park access	81.35506224
Retail density	55.01090722
Supermarket access	16.70730142
Tree canopy	97.8570512
Housing	_
Homeownership	98.42166046
Housing habitability	94.39240344
Low-inc homeowner severe housing cost burden	93.54548954
Low-inc renter severe housing cost burden	54.20248941
Uncrowded housing	88.2586937
Health Outcomes	
Insured adults	99.92300783
Arthritis	0.0
Asthma ER Admissions	78.8
High Blood Pressure	0.0
Cancer (excluding skin)	0.0
Asthma	0.0
Coronary Heart Disease	0.0
Chronic Obstructive Pulmonary Disease	0.0
Diagnosed Diabetes	0.0
Life Expectancy at Birth	95.8
Cognitively Disabled	95.5
Physically Disabled	74.5
Heart Attack ER Admissions	96.0

Mental Health Not Good	0.0
Chronic Kidney Disease	0.0
Obesity	0.0
Pedestrian Injuries	19.6
Physical Health Not Good	0.0
Stroke	0.0
Health Risk Behaviors	_
Binge Drinking	0.0
Current Smoker	0.0
No Leisure Time for Physical Activity	0.0
Climate Change Exposures	_
Wildfire Risk	13.5
SLR Inundation Area	0.0
Children	78.7
Elderly	21.4
English Speaking	78.3
Foreign-born	26.3
Outdoor Workers	74.0
Climate Change Adaptive Capacity	_
Impervious Surface Cover	86.3
Traffic Density	9.6
Traffic Access	63.4
Other Indices	_
Hardship	0.7
Other Decision Support	_
2016 Voting	93.8

#### 7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	0.00
Healthy Places Index Score for Project Location (b)	100
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

#### 7.4. Health & Equity Measures

No Health & Equity Measures selected.

#### 7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

### 7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

# 8. User Changes to Default Data

Screen	Justification
Land Use	Per Pop and Housing, 1,048 housing units x average household size of 2.80 people =2,934
Operations: Architectural Coatings	BAAQMD Regulation 8 Rule 3, Nonflat Coating
Operations: Water and Waste Water	Indoor Water Use consistent with WSA estimates for the project (2,934 residents x 70 gal/unit); WTP 100% aerobic

b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.